

Prepared for:
SUPERIOR MOLECULAR LLC

4459 WHITE BEAR PKWY
WHITE BEAR LAKE, MN USA 55110

Mary Jones Grape 5mg 03/20/2024

Batch ID or Lot Number: MJG.D9.032024	Test: Pesticides	Reported: 29Mar2024	USDA License: NA
Matrix: Finished Product	Test ID: T000275378	Started: 27Mar2024	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 25Mar2024	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	353 - 2766	ND	Malathion	287 - 2690	ND
Acephate	40 - 2715	ND	Metalaxyl	45 - 2665	ND
Acetamiprid	42 - 2686	ND	Methiocarb	41 - 2782	ND
Azoxystrobin	43 - 2696	ND	Methomyl	41 - 2736	ND
Bifenazate	40 - 2677	ND	MGK 264 1	157 - 1604	ND
Boscalid	50 - 2724	ND	MGK 264 2	104 - 1096	ND
Carbaryl	40 - 2687	ND	Myclobutanil	39 - 2780	ND
Carbofuran	42 - 2683	ND	Naled	44 - 2666	ND
Chlorantraniliprole	46 - 2776	ND	Oxamyl	40 - 2750	ND
Chlorpyrifos	44 - 2738	ND	Pacllobutrazol	39 - 2687	ND
Clofentezine	281 - 2731	ND	Permethrin	266 - 2762	ND
Diazinon	281 - 2691	ND	Phosmet	41 - 2559	ND
Dichlorvos	270 - 2733	ND	Prophos	288 - 2753	ND
Dimethoate	42 - 2686	ND	Propoxur	43 - 2696	ND
E-Fenproximate	261 - 2758	ND	Pyridaben	281 - 2768	ND
Etofenprox	43 - 2727	ND	Spinosad A	34 - 2079	ND
Etoxazole	277 - 2656	ND	Spinosad D	65 - 655	ND
Fenoxycarb	44 - 2705	ND	Spiromesifen	269 - 2727	ND
Fipronil	41 - 2620	ND	Spirotetramat	282 - 2740	ND
Flonicamid	40 - 2793	ND	Spiroxamine 1	15 - 1057	ND
Fludioxonil	255 - 2762	ND	Spiroxamine 2	23 - 1635	ND
Hexythiazox	41 - 2755	ND	Tebuconazole	284 - 2722	ND
Imazalil	282 - 2730	ND	Thiacloprid	41 - 2704	ND
Imidacloprid	48 - 2778	ND	Thiamethoxam	40 - 2730	ND
Kresoxim-methyl	42 - 2735	ND	Trifloxystrobin	42 - 2699	ND

Final Approval



Karen Winternheimer
29Mar2024
01:11:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
29Mar2024
01:13:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/dabf7438-1d15-49ed-9c82-fd67f22c64d>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
dabf74381d1549ed9c82fd67f22c64d.1