

Prepared for:  
**SUPERIOR MOLECULAR LLC**

4459 WHITE BEAR PKWY  
WHITE BEAR LAKE, MN USA 55110

## Mary Jones Mixed Berry Lemonade 5MG 03/22/2024

Batch ID or Lot Number: <b>MJMBL.D9.032224</b>	Test: <b>Pesticides</b>	Reported: <b>08Apr2024</b>	USDA License: NA
Matrix: Finished Product	Test ID: T000275798	Started: 04Apr2024	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 01Apr2024	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	299 - 2671	ND	Malathion	294 - 2751	ND
Acephate	42 - 2803	ND	Metalaxyl	46 - 2719	ND
Acetamiprid	43 - 2752	ND	Methiocarb	45 - 2811	ND
Azoxystrobin	46 - 2748	ND	Methomyl	43 - 2799	ND
Bifenazate	43 - 2719	ND	MGK 264 1	163 - 1658	ND
Boscalid	41 - 2797	ND	MGK 264 2	112 - 1103	ND
Carbaryl	41 - 2747	ND	Myclobutanil	48 - 2815	ND
Carbofuran	42 - 2713	ND	Naled	44 - 2731	ND
Chlorantraniliprole	49 - 2795	ND	Oxamyl	43 - 2820	ND
Chlorpyrifos	56 - 2769	ND	Pacllobutrazol	40 - 2749	ND
Clofentezine	274 - 2752	ND	Permethrin	280 - 2796	ND
Diazinon	289 - 2729	ND	Phosmet	42 - 2606	ND
Dichlorvos	268 - 2766	ND	Prophos	286 - 2805	ND
Dimethoate	46 - 2757	ND	Propoxur	42 - 2727	ND
E-Fenpyroximate	257 - 2846	ND	Pyridaben	278 - 2743	ND
Etofenprox	43 - 2770	ND	Spinosad A	33 - 2116	ND
Etoxazole	277 - 2707	ND	Spinosad D	62 - 689	ND
Fenoxycarb	47 - 2750	ND	Spiromesifen	255 - 2769	ND
Fipronil	34 - 2836	ND	Spirotetramat	279 - 2838	ND
Flonicamid	57 - 2841	ND	Spiroxamine 1	16 - 1078	ND
Fludioxonil	293 - 2763	ND	Spiroxamine 2	25 - 1643	ND
Hexythiazox	42 - 2792	ND	Tebuconazole	297 - 2751	ND
Imazalil	272 - 2750	ND	Thiacloprid	45 - 2773	ND
Imidacloprid	46 - 2876	ND	Thiamethoxam	43 - 2835	ND
Kresoxim-methyl	51 - 2791	ND	Trifloxystrobin	44 - 2739	ND

## Final Approval



Karen Winternheimer  
08Apr2024  
12:59:00 PM MDT

PREPARED BY / DATE



Phillip Travisano  
08Apr2024  
01:01:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/eaf26515-1120-45c7-a8a6-e68f5fd21f7f>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range  
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
eaf26515112045c7a8a6e68f5fd21f7f.1