

Certificate of Analysis



Sample Name	80710061 - 10mg D9, Beverage, Shooter, Orange Cream, 2oz MJ		
Batch Number	240504	Symbio ID	SYM 20240506-035
Client	Green Star Labs Inc.	Registering Laboratory	San Diego, CA
Contact		Contact	Customer Service
Address		Address	8312 Miramar Mall San Diego, CA, 92121
Telephone		Telephone	(858) 869-1008
Email	carmen.myers@greenstarlabs.net	Email	questions@symbiolabs.us

This report supersedes any previous revision with this reference. This document must not be reproduced, except in full. If samples were provided by the customer, results apply only to the samples 'as received' and responsibility for representative sampling rests with the customer. Sample results are reported on an 'as is' basis. Symbio Laboratories, LLC makes no claims pertaining to the efficacy, safety, or other risks associated with any detected or non-detected levels of any microbes reported herein.

Definitions

| <: Less Than | >: Greater Than | -: Not Requested | CFU: Colony Forming Units | A: Absent | P: Present | MDL: Method Detection Limit | TNTC: Too numerous to count | N/A: Not Applicable | RP: Result Pending | ND: Non-detect | MRL: Minimum Reporting Limit |

Method	Analyte	MDL	MRL	Limit	Result	Unit	Status
Microbial							
Aerobic Plate Count (APC) 3M Plate	Aerobic Bacteria	10	10	10 ⁵	<MDL	CFU/g	Pass
Rapid Yeast and Mold (RYM) 3M Plate	Yeast	10	10	10 ³	<MDL	CFU/g	Pass
	Mold	10	10	10 ³	<MDL	CFU/g	Pass
<i>E. coli</i> /Coliform (EC/CC) 3M Plate	Total Coliforms	10	10	10 ⁴	<MDL	CFU/g	Pass
	<i>Escherichia coli</i>	N/A	N/A	Absent in 10 g	<MDL	P/A	Pass
Salmonella Express (SALX) 3M Plate	<i>Salmonella spp.</i>	N/A	N/A	Absent in 10 g	Absent	P/A	Pass
Staph Express (STX) 3M Plate	<i>Staphylococcus aureus</i> *	N/A	N/A	Absent in 10 g	<MDL	P/A	Pass
Metals							
HM-PREP-001	Arsenic	0.003	0.009	1.5	ND	µg/g	Pass
	Cadmium	0.001	0.002	0.5	ND	µg/g	Pass
	Lead	0.001	0.004	0.5	ND	µg/g	Pass
	Mercury	0.005	0.014	3.0	ND	µg/g	Pass

Analysis Location

All analyses were completed by Symbio Laboratories US – San Diego.

Analysis Comments

Samples without microbial growth have 0 CFU/mL or 0 CFU/g and are reported as <MDL.

*STX may also indicate *S. hyicus*, or *S. intermedius*

Method ID: SYM_MICRO_3MPetrifilm_APC_AerobicBacteria_CountPlate

Method ID: SYM_MICRO_3MPetrifilm_ECCC_Ecoli_Coliform_CountPlate

Method ID: SYM_MICRO_3MPetrifilm_SALX_Salmonella_CountPlate

Method ID: SYM_MICRO_3MPetrifilm_STX_Saureus_CountPlate

Method ID: SYM_MICRO_3MPetrifilm_RYM_Yeast_Mold_CountPlate

Method ID: HM-PREP-001

Josh M Swider

Josh Swider
Lab Director, CEO
May 16, 2024